



WORKING PAPER SERIES

Gabriele Camera - Alessandro Gioffré

Asymmetric Social Norms

SAFE Working Paper No. 162

SAFE | Sustainable Architecture for Finance in Europe

A cooperation of the Center for Financial Studies and Goethe University Frankfurt

House of Finance | Goethe University
Theodor-W.-Adorno-Platz 3 | 60323 Frankfurt am Main

Tel. +49 69 798 34006 | Fax +49 69 798 33910
info@safe-frankfurt.de | www.safe-frankfurt.de

Non-Technical Summary

In this paper we study infinitely repeated social dilemmas when players are heterogeneous in some payoff-relevant dimension. The extant literature has focused on studying the case of homogeneous populations, when full cooperation is efficient. Efficient play can be supported in sequential equilibrium in this case even if players cannot build a reputation, as long they are sufficiently patient, and in arbitrarily large populations with the aid of public monitoring. The open question is whether efficient play can be supported also when players are not homogeneous.

Here we show that, with heterogeneous players, efficient play may involve occasional uncooperative actions, which complicates the task of detecting and punishing opportunistic behavior. In this case, public disclosure of defections cannot sustain the efficient outcome as a sequential equilibrium. We demonstrate that a social norm based on community-wide sanctioning of deviations from cooperative play can still support the efficient outcome as an equilibrium, as long as players' heterogeneity is moderate.

Asymmetric Social Norms[†]

Gabriele Camera Alessandro Gioffré
Chapman University Goethe University
University of Basel

January 10, 2017

Abstract

Studies of cooperation in infinitely repeated matching games focus on homogeneous economies, where full cooperation is efficient and any defection is collectively sanctioned. Here we study heterogeneous economies where occasional defections are part of efficient play, and show how to support those outcomes through contagious punishments.

Keywords: cooperation, repeated games, social dilemmas.

JEL codes: C6, C7

[†]We thank an anonymous referee for comments that improved the exposition of the paper. Partial support from NSF grant CCF-1101627 is acknowledged. We gratefully acknowledge research support from the Research Center SAFE, funded by the State of Hessen initiative for research LOEWE. Camera: Economic Science Institute, Chapman University, One University dr., Orange, CA 92866; camera@chapman.edu. Gioffré: Research Center SAFE, Goethe University Frankfurt, Theodor-W.-Adorno-Platz 3, 60629 Frankfurt; gioffre@safe.uni-frankfurt.de.

1 Introduction

The social norms literature has extended the study of cooperation in infinitely repeated games from the case of stable partnerships (Rubinstein, 1979; Fudenberg and Maskin, 1986) to unstable meetings among homogeneous strangers (Kandori, 1992; Ellison, 1994). Patient strangers can attain the efficient outcome by triggering community-wide responses to privately observed defections (“grim” play). However, this requires sufficiently small groups. Large groups must be able to publicly monitor defections, which makes the economy’s size irrelevant, and homogeneity greatly reduces the information that must be shared; since full cooperation is efficient, knowing that not everyone acted identically is sufficient. The open question is how results change when strangers are heterogeneous. Here, the structure of incentives may vary across meetings and efficient play may require some players to cooperate and others not.

We study social norms among heterogeneous strangers. Players receive iid productivity shocks, so payoff matrices stochastically vary across meetings, and can be asymmetric. Before choosing an action, players see productivities in *their* match. If full cooperation is efficient, publicly exposing defections supports cooperation; heterogeneity simply alters the admissible discount factors relative to the homogeneous case. Otherwise, if occasional defections are part of efficient play, then we need contagious punishments to support high payoffs because publicly exposing defections without productivities in other matches cannot reveal off-equilibrium play. Contagious punishment can deter defections only under moderate productivity differences.

The analysis has merit because little exists about cooperation under heterogeneity. The closest paper is Blonski and Spagnolo (2015), an infinitely repeated PD game in fixed pairs where cooperation is efficient but asymmetrically benefits players. The technique we present generates tractable closed-form expressions for continuation payoffs, which can be employed to calibrate laboratory economies.

2 Model

In every period $N \geq 4$ (even) players are paired with uniform probability (Kandori, 1992; Ellison, 1994). Subsequently, each player $i = 1, \dots, N$, draws a random iid productivity shock $\theta_i \in \{1, \alpha\}$, $\alpha > 1$: $\theta_i = \alpha$ (productive) with probability q , and $\theta_i = 1$ (unproductive) otherwise. A match between i and opponent $-i$ is either symmetric ($\theta_i = \theta_{-i}$) or asymmetric. Payoffs are in Figure 1.

		Player $-i$	
		C	D
Player i	C	$\theta_i c, \theta_{-i} c$	$-l, \theta_i(c + g)$
	D	$\theta_{-i}(c + g), -l$	$0, 0$

Figure 1: The game between player i and $-i$.

Let $c, g, l > 0$ and $\theta_i c > \theta_i g - l$. The cooperative outcome (C, C) maximizes total earnings if

$$c \geq \alpha g - l, \tag{1}$$

thus amounting to a proper Prisoners' Dilemma (PD). Otherwise, we have an *asymmetric social dilemma* where D is dominant but asymmetric cooperation, (D, C) or (C, D) , is efficient. Iterated PDs in fixed pairs assume (1) to rule out taking turns at selecting C and D (e.g., Rapoport and Chammah, 1965). Interestingly, Kandori (1992) and Ellison (1994) do not assume (1), possibly because pairs are short-lived and break up over time, which complicates coordination on action alternation.

Before choosing, players observe productivities only in their match, *not* in others. At the period's end players are informed if everyone chose identically or not. Full defection is an equilibrium—giving payoff 0—because D is a best response to D by everyone else. Other equilibria exist. If (1) holds, public monitoring supports full cooperation. Everyone chooses C unless someone acted differently, in which case everyone chooses D forever. This equilibrium exists—independent

of N —if

$$\beta \geq \frac{c(\alpha - 1) + g\alpha}{qc(\alpha - 1) + \alpha(c + g)} \in (0, 1).$$

If (1) does not hold, the available public information is no longer useful to attain efficiency. Earnings in matches with unequal productivities are maximized by asymmetric cooperation; hence, (C, D) is part of efficient play. As players cannot see productivities in other matches, making defections public cannot reveal deviations from efficient play.

Hence, consider community-based enforcement triggered by privately observed deviations. Players cooperate whenever their productivity is no smaller than their opponent's; otherwise, they defect. If they observe someone choosing D when C should be chosen, then they switch to play “always defect.”

Definition 1 (Asymmetric cooperation). *At the start of any period, player i either (i) “cooperates” by choosing C if $\theta_i \geq \theta_{-i}$, and D otherwise, or (ii) “punishes” by unconditionally choosing D . Player i follows “cooperate” but permanently switches to “punish” if someone deviates to D when C should be chosen.*

The equilibrium payoff is $(1 - \beta)^{-1}\pi^*$, where

$$\pi^* = q^2\alpha c + (1 - q)^2c + (1 - q)q(\alpha c + \alpha g - l)$$

denotes expected period earnings.

Theorem 1. *Fix q . If $\frac{c}{g}$ is sufficiently small, then there exists $\alpha \in (\underline{\alpha}, \alpha_q)$ such that if β and l are sufficiently large, then asymmetric cooperation is a sequential equilibrium.*

The conditions on discounting β and sucker's payoff l are standard. Players must be patient to prefer C to D in equilibrium; the sucker's payoff must be sufficiently large for punishment to be incentive-compatible. The new conditions involve the temptation payoff and the productivity parameter. Productivities cannot be too different or productive players would avoid punishing in asymmetric meetings. The proof follows.

2.1 Contagious punishment

When everyone follows the strategy in Definition 1, partition the population into $N - k$ cooperators and $k \in \kappa := (1, \dots, N)^\top$ defectors. *Cooperators* follow equilibrium play; *Defectors* only play D . The economy is off-equilibrium if $k \geq 2$; $k = 1$ denotes when player i moves off-equilibrium in a match $\theta_i \geq \theta_{-i}$. Indeed, player i has no incentive to deviate to C from D if $\theta_i < \theta_{-i}$.

The $N \times N$ upper-triangular transition matrix

$$\mathcal{Q}_N = \begin{pmatrix} Q_{11} & Q_{12} & 0 & 0 & 0 & 0 & \dots & 0 & 0 \\ 0 & Q_{22} & Q_{23} & Q_{24} & 0 & 0 & \dots & 0 & 0 \\ 0 & 0 & Q_{33} & Q_{34} & Q_{35} & Q_{36} & \dots & 0 & 0 \\ \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \dots & \vdots & \vdots \\ 0 & 0 & 0 & 0 & 0 & 0 & \dots & Q_{N-1,N-1} & Q_{N-1,N} \\ 0 & 0 & 0 & 0 & 0 & 0 & \dots & 0 & 1 \end{pmatrix} \quad (2)$$

describes the contagious punishment process.

The first row applies if i moves off-equilibrium when $\theta_i \geq \theta_{-i}$, with probability $Q_{12} = 1 - q(1 - q)$. This triggers contagious punishment, gradually bringing the economy to full defection. $Q_{11} = (1 - q)q$ is the probability that $\theta_i < \theta_{-i}$, so no punishment is triggered.

In the second row there are two defectors $i = \ell, m$. The number of defectors doubles with probability Q_{24} , if they both are in mixed matches where $\theta_i \geq \theta_{-i}$. If the defectors meet each other or are in matches where $\theta_i < \theta_{-i}$, then the number of defectors does not increase (with probability Q_{22}). If only one defector $i = \ell, m$ is in a mixed match with $\theta_i \geq \theta_{-i}$, then there is only one additional defector, with probability Q_{23} .

Not all *mixed matches*—cooperator-defector matches—contribute to spread punishment since D is part of equilibrium play. This is the central difference with homogeneous economies in Kandori (1992). When cooperator i meets defector $-i$ and $\theta_i > \theta_{-i}$, i will not start defecting since $-i$ follows equilibrium play. This match occurs with probability $q(1 - q)$, so, if there are j mixed matches, contagion occurs in $n < j$ of those with probability $\binom{j}{n} [1 - q(1 - q)]^n [q(1 - q)]^{j-n}$.

A transition from $k \geq 2$ to $k' \geq k$ defectors occurs with probability

$$Q_{kk'}(N) := \sum_{j=k'-k}^{\min(k, N-k)} \lambda_{kj} \binom{j}{k'-k} [1 - q(1 - q)]^{k'-k} [q(1 - q)]^{j-k'+k},$$

where N is omitted in Q_N . The probability of j mixed matches

$$\lambda_{kj} := \frac{j! \binom{k}{j} \binom{N-k}{j} (k-j-1)!! (N-k-j-1)!!}{(N-1)!!},$$

is the number of such pairings divided by the number $(N-1)!!$ of possible pairings, where

$$j \in J_k := \begin{cases} \{0, 2, 4, \dots, \min(k, N-k)\} & \text{if } k = \text{even} \\ \{1, 3, 5, \dots, \min(k, N-k)\} & \text{if } k = \text{odd}. \end{cases}$$

2.2 Off-equilibrium continuation payoffs

Let player i be one of $k \geq 1$ defectors. She meets one of $N - k$ cooperators with probability $\sigma_k := \frac{N-k}{N-1}$. Let $\sigma = (\sigma_1, \dots, \sigma_{N-1}, 0)^\top$ and e_k be the N -dimensional column vector with 1 in the k^{th} position and 0 everywhere else.

From Camera and Giofré (2014, Theorem 2), the rate at which a defector expects to meet cooperators in the continuation game is

$$\phi_k := (1 - \beta) e_k^\top (I - \beta Q_N)^{-1} \sigma, \quad k \geq 1, \quad (3)$$

where $\lim_{\beta \rightarrow 1^-} \frac{\phi_k}{1 - \beta} < \infty$.

The beginning-of-period payoff to defector i is

$$v_k = \sigma_k \pi + \beta \sum_{k'=k}^N Q_{kk'} v_{k'}, \quad \text{for } k \geq 1, \quad (4)$$

where

$$\pi := (c + g)[q\alpha + (1 - q)^2]$$

denotes earnings expected ex-ante in a mixed match.

Letting $\mathbf{v} := (v_1, \dots, v_N)^\top$, we have

$$\mathbf{v} = \sigma \pi + \beta Q_N \mathbf{v} \quad \Rightarrow \quad \mathbf{v} = (I - \beta Q_N)^{-1} \sigma \pi,$$

and we have $v_{k+1} \leq v_k$ with

$$v_k = e_k^\top (I - \beta \mathcal{Q}_N)^{-1} \sigma \pi = \frac{\pi \phi_k}{1 - \beta}. \quad (5)$$

2.3 Equilibrium deviations

Deviating to D in symmetric matches $\theta_i = \theta_{-i} = \theta$ is suboptimal if

$$\theta c + \beta \frac{\pi^*}{1 - \beta} \geq \theta(c + g) + \beta v_2. \quad (6)$$

Here $\theta_i = \theta_{-i} = \alpha$ represents the most stringent case, and we have

$$\alpha c + \beta \frac{\pi^*}{1 - \beta} - \alpha(c + g) - \beta v_2 = -\alpha g + \frac{\beta \pi^*}{1 - \beta} - \frac{\beta \phi_2 \pi}{1 - \beta}. \quad (7)$$

Since $\lim_{\beta \rightarrow 1} \frac{\phi_k}{1 - \beta} < \infty$ for all $k \geq 1$, and $\pi^* > 0$, by continuity there exists a $\beta_s^* \in (0, 1)$ such that (6) holds for $\beta \in [\beta_s^*, 1)$ and $\theta = 1, \alpha$.

Deviating to D in asymmetric matches $\theta_i > \theta_{-i}$ is suboptimal for i if

$$-l + \beta \frac{\pi^*}{1 - \beta} \geq \beta v_2, \quad (8)$$

or equivalently

$$\frac{\beta \pi^*}{1 - \beta} - \frac{\beta \phi_2 \pi}{1 - \beta} \geq l.$$

Using again $\lim_{\beta \rightarrow 1} \frac{\phi_k}{1 - \beta} < \infty$ and $\pi^* > 0$, by continuity there exists $\beta_a^* \in (0, 1)$ such that (8) holds for all $\beta \in [\beta_a^*, 1)$. Letting $\beta^* := \max(\beta_a^*, \beta_s^*)$ equilibrium deviations are suboptimal if $\beta \in [\beta^*, 1)$.

2.4 Off-equilibrium deviations

When $k \geq 2$ a deviation occurs when defector i chooses C instead of D , in a match where $\theta_i \geq \theta_{-i}$.

Asymmetric matches. If $\theta_i > \theta_{-i}$, defector i surely earns $-l$ since the other selects D . The deviation slows down contagion if $-i$ is a cooperator, with probability σ_k . The transition matrix \mathcal{Q}_{N-2} with elements $Q_{kk'}(N-2)$ describes contagion in *all other* meetings.

The payoff to defector i from deviating is

$$-l + \overbrace{\sigma_k \beta \sum_{k'=k-1}^{N-2} Q_{k-1,k'}(N-2)v_{k'+1}}^{i \text{ meets a cooperator}} + \overbrace{(1 - \sigma_k) \beta \sum_{k'=k-2}^{N-2} Q_{k-2,k'}(N-2)v_{k'+2}}^{i \text{ meets a defector}}. \quad (9)$$

Continuation payoffs depend on whether $-i$ is a cooperator or not. If she is, deviating limits future defectors to $k' + 1$ instead of $k' + 2$. The transition probabilities $Q_{k-1,k'}(N-2)$ account for this by considering all matchings among $k-1$ defectors (k defectors excluding i) and $N-k-1$ cooperators ($N-k$ cooperators excluding $-i$). Here, deviating raises i 's continuation payoff, because $v_{k'}$ falls in k' . If i meets a defector no such benefit exists; the transition probabilities $Q_{k-2,k'}(N-2)$ account for this meeting by considering all matchings among $k-2$ defectors (k defectors excluding i and $-i$) and $N-k$ cooperators. Deviating to C (instead of D) is suboptimal if

$$\begin{aligned} & -l + \sigma_k \beta \sum_{k'=k-1}^{N-2} Q_{k-1,k'}(N-2)v_{k'+1} + (1 - \sigma_k) \beta \sum_{k'=k-2}^{N-2} Q_{k-2,k'}(N-2)v_{k'+2} \\ & \leq \sigma_k \beta \sum_{k'=k-1}^{N-2} Q_{k-1,k'}(N-2)v_{k'+2} + (1 - \sigma_k) \beta \sum_{k'=k-2}^{N-2} Q_{k-2,k'}(N-2)v_{k'+2}, \end{aligned}$$

that is

$$\sigma_k \beta \sum_{k'=k-1}^{N-2} Q_{k-1,k'}(N-2)(v_{k'+1} - v_{k'+2}) \leq l, \quad \text{for } k \geq 2.$$

Using v_k :

$$\sigma_k \pi \beta \sum_{k'=k-1}^{N-2} Q_{k-1,k'}(N-2) \frac{\phi_{k'+1} - \phi_{k'+2}}{1 - \beta} \leq l, \quad \text{for } k \geq 2. \quad (10)$$

Symmetric matches. If $\theta_i = \theta_{-i}$, the expected payoff to defector i who deviates to C from D when $k \geq 2$ is

$$\sigma_k \left[\overbrace{\theta_i c + \beta \sum_{k'=k-1}^{N-2} Q_{k-1,k'}(N-2)v_{k'+1}}^{i \text{ meets a cooperator}} \right] + (1 - \sigma_k) \left[\overbrace{-l + \beta \sum_{k'=k-2}^{N-2} Q_{k-2,k'}(N-2)v_{k'+2}}^{i \text{ meets a defector}} \right].$$

Deviating is suboptimal if

$$\begin{aligned} & \sigma_k \theta_i c + (1 - \sigma_k)(-l) + \sigma_k \beta \sum_{k'=k-1}^{N-2} Q_{k-1,k'}(N-2)v_{k'+1} + (1 - \sigma_k)\beta \sum_{k'=k-2}^{N-2} Q_{k-2,k'}(N-2)v_{k'+2} \\ & \leq \sigma_k \theta_i (c + g) + \sigma_k \beta \sum_{k'=k-1}^{N-2} Q_{k-1,k'}(N-2)v_{k'+2} + (1 - \sigma_k)\beta \sum_{k'=k-2}^{N-2} Q_{k-2,k'}(N-2)v_{k'+2}, \end{aligned}$$

yielding

$$\sigma_k \beta \sum_{k'=k-1}^{N-2} Q_{k-1,k'}(N-2)(v_{k'+1} - v_{k'+2}) \leq \sigma_k \theta_i g + (1 - \sigma_k)l,$$

or equivalently

$$\sigma_k \pi \beta \sum_{k'=k-1}^{N-2} Q_{k-1,k'}(N-2) \frac{\phi_{k'+1} - \phi_{k'+2}}{1 - \beta} \leq \sigma_k \theta_i g + (1 - \sigma_k)l, \quad (11)$$

most stringent when $\theta_i = 1$.

From Camera and Gioffré (2014, Theorem 2), the most stringent case for (10) and (11) is $k = 2$. A sufficient condition to avoid off-equilibrium deviations is

$$\pi \gamma_q \leq \min(g, l), \quad (12)$$

where

$$\gamma_q := \sup_{\beta \in (0,1)} \sum_{k'=1}^{N-2} Q_{1,k'}(N-2)\beta \frac{\phi_{k'+1} - \phi_{k'+2}}{1 - \beta}.$$

Lemma 1. *For all $q \in [0, 1]$ and $n \in \mathbb{N}_+$, the function $\gamma_q \in (0, 1)$.*

The proof is in Appendix. Using the definition of π , (12) becomes

$$\gamma_q [q\alpha + (1 - q^2)] \leq \frac{\min(g, l)}{c + g}.$$

From Lemma 1 $\gamma_q < 1$, so if $g < l$, a necessary condition for (12) is

$$\alpha < \alpha_q := \frac{1 - \gamma_q(1 - q)^2}{\gamma_q q}.$$

Since $l < \alpha g - c$ two cases arise.

1. $l \leq g$: $l < \alpha g - c$ implies $\alpha > \frac{l + c}{g}$, which holds if $\alpha > \frac{g + c}{g}$.
2. $g < l < \alpha g - c$: we need $g < \alpha g - c$, implying $\alpha > \frac{c + g}{g}$.

Hence, letting $\underline{\alpha} := \frac{c + g}{g}$, if c/g is sufficiently small, then there exists $\alpha \in$

$(\underline{\alpha}, \alpha_q)$ ensuring that deviating off-equilibrium is suboptimal.

References

- Blonski, P. and G. Spagnolo. 2015. Prisoner's other dilemma. *International Journal of Game Theory* 44, 61-81
- Camera, G., Gioffré, A., 2014. A tractable analysis of contagious equilibria. *Journal of Mathematical Economics* 50, 290-300.
- Ellison, G., 1994. Cooperation in the prisoner's dilemma with anonymous random matching. *Review of Economic Studies*, 61, 567-88.
- Fudenberg, D. and Maskin, E. 1986. The Folk Theorem in Repeated Games with Discounting or with Incomplete Information. *Econometrica* 50, 533-554.
- Kandori, M., 1992. Social norms and community enforcement. *Review of Economic Studies*, 59, 63-80.
- Rapoport, A. and Chammah, A. M. 1965. Prisoner's Dilemma: A Study in Conflict and Cooperation. University of Michigan Press, Ann Arbor.
- Rubinstein, A. (1979), Equilibrium in Supergames with the Overtaking Criterion. *Journal of Economic Theory*, 21, 1-9.

Appendix: Proof of Lemma 1

The cases $q = 0$ and $q = 1$ are in Camera and Gioffré (2014). For $q \in (0, 1)$ let

$$\begin{aligned}\gamma_q(\beta) &:= \sum_{k'=1}^{N-2} Q_{1,k'}(N-2)\beta \frac{\phi_{k'+1} - \phi_{k'+2}}{1-\beta} \\ &= q(1-q)\beta \frac{\phi_2 - \phi_3}{1-\beta} + [1-q(1-q)]\beta \frac{\phi_3 - \phi_4}{1-\beta}.\end{aligned}$$

For any $\beta \in (0, 1)$ and $\forall k \geq 1$ we have $\phi_k > \phi_{k+1}$ (Camera and Gioffré, 2014, Theorem 2), so $\gamma_q(\beta) > 0$. To show that $\gamma_q < 1$, the payoff v_2 is

$$\begin{aligned}v_2 &= \sigma_2 \left\{ \pi + \beta \left[\overbrace{\left(1 - q(1-q)\right) \sum_{k'=1}^{N-2} Q_{1,k'}(N-2)v_{k'+2}}^{i \text{ transmits the defection}} + \overbrace{q(1-q) \sum_{k'=1}^{N-2} Q_{1,k'}(N-2)v_{k'+1}}^{i \text{ does not transmit the defection}} \right] \right\} \\ &\quad + \overbrace{(1 - \sigma_2) \left[d + \beta v_2 \right]}^{i \text{ meets the other defector}},\end{aligned}$$

or, equivalently,

$$\begin{aligned}v_2 &= \sigma_2(\pi - d) + d + \sigma_2\beta[1 - q(1-q)]\{q(1-q)v_3 + [1 - q(1-q)]v_4\} \\ &\quad + \sigma_2\beta q(1-q)\{q(1-q)v_2 + [1 - q(1-q)]v_3\} + (1 - \sigma_2)\beta v_2.\end{aligned}$$

Rearranging

$$\sigma_2[1 - q^2(1-q)^2]\beta(v_2 - v_3) = \sigma_2(\pi - d) + d - v_2(1 - \beta) - \sigma_2\beta[1 - q(1-q)]^2(v_3 - v_4),$$

and using (5)

$$\beta \frac{\phi_2 - \phi_3}{1 - \beta} = \frac{1}{1 - q^2(1-q)^2} \left(1 - \frac{\phi_2}{\sigma_2}\right) - \frac{[1 - q(1-q)]^2}{1 - q^2(1-q)^2} \beta \frac{\phi_3 - \phi_4}{1 - \beta}. \quad (13)$$

Using the definition of $\gamma_q(\beta)$:

$$\gamma_q(\beta) = \frac{q(1-q)}{1 - q^2(1-q)^2} \left(1 - \frac{\phi_2}{\sigma_2}\right) + \frac{[1 - q(1-q)]^2}{1 - q^2(1-q)^2} \beta \frac{\phi_3 - \phi_4}{1 - \beta}.$$

and since $\phi_3 - \phi_4 \leq \phi_2 - \phi_3$ (see Camera and Gioffré, 2014, Theorem 2) we have

$$\gamma_q(\beta) \leq \frac{q(1-q)}{1 - q^2(1-q)^2} \left(1 - \frac{\phi_2}{\sigma_2}\right) + \frac{[1 - q(1-q)]^2}{1 - q^2(1-q)^2} \beta \frac{\phi_2 - \phi_3}{1 - \beta}.$$

Again using (13):

$$\gamma_q(\beta) \leq \overbrace{\frac{1 + q^2(1 - q)^2}{[1 + q(1 - q)][1 - q^2(1 - q)^2]}}^{\leq 1 \ \forall q \in [0,1]} \overbrace{\left(1 - \frac{\phi_2}{\sigma_2}\right)}^{< 1} - \overbrace{\frac{[1 - q(1 - q)]^4}{[1 - q^2(1 - q)^2]^2} \beta \frac{\phi_3 - \phi_4}{1 - \beta}}^{\geq 0} < 1$$

where we used $\phi_2 < \sigma_2$, as proved in Camera and Giofré (2014, Theorem 2).

Taking the supremum of $\gamma_q(\beta)$ concludes the proof.

Recent Issues

No. 161	Tobin Hanspal	The Effect of Personal Financing Disruptions on Entrepreneurship
No. 160	Domenico Rocco Cambrea, Stefano Colonnello, Giuliano Curatola, Giulia Fantini	Abandon Ship: Inside Debt and Risk-Taking Incentives in Bad Times
No. 159	Monica Billio, Michael Donadelli, Antonio Paradiso, Max Riedel	Which Market Integration Measure?
No. 158	Michael Donadelli, Renatas Kizys, Max Riedel	Globally Dangerous Diseases: Bad News for Main Street, Good News for Wall Street?
No. 157	Steffen Meyer, Linda Urban, Sophie Ahlswede	Does feedback on personal investment success help?
No. 156	Reint Gropp, Thomas Mosk, Steven Ongena, Carlo Wix	Bank Response To Higher Capital Requirements: Evidence From A Quasi-Natural Experiment
No. 155	Vahid Saadi	Mortgage Supply and the US Housing Boom: The Role of the Community Reinvestment Act
No. 154	Brigitte Haar	Shareholder Wealth vs. Stakeholder interests? Evidence from Code Compliance under the German Corporate Governance Code
No. 153	Julia Hirsch, Uwe Walz	The Financing Dynamics of Newly Founded Firms
No. 152	Viral Acharya, Tim Eisert, Christian Eufinger, Christian Hirsch	Whatever it Takes: The Real Effects of Unconventional Monetary Policy
No. 151	Michael Schneider, Fabrizio Lillo, Lorian Pelizzon	How Has Sovereign Bond Markets Liquidity Changed? – An Illiquidity Spillover Analysis
No. 150	Vanya Horneff, Raimond Maurer, Olivia S. Mitchell	Putting the Pension back in 401(k) Plans: Optimal versus Default Longevity Income Annuities
No. 149	Massimiliano Caporin, Aleksey Kolokolov, Roberto Renò	Systemic Co-Jumps